



This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1		RELEASED FOR PRODUCTION	6/27/2016	SM	JAG
2	16-0216	-1 & -3 CH'D MATERIAL & VENDOR WAS Y20 BLACK (I.R. SPECIALTY) IS ETHAFOAM 220, BLACK (CASE SOLUTIONS). -1 DELETED DIM'S 4X R.68, 2X ∇ 3.88, CH'D DIM WAS 2X ∇ 6.26 IS 2X ∇ 3.88. -3 DELETED DIM 4X R.68, ADDED DIM'S 4X 45°, 4X .70, 3.20, 1.70, 2X .40. -5 CH'D T/N TEXT HT. WAS .125 IS .188.	11/8/2016	RJC	JAG






- NOTES:
- REF. AIRBUS T/N: M651V3000102.
 - ENGRAVE T/N, S/N, "MADE IN USA" MAX. WORKING LOAD 33 Kg / 73 lbs.

DART AEROSPACE	
TITLE FRONT SHAFT PROTECTOR KIT	
DWG NO. RBEM651V3000102	REV 2
MAT'L FEAT TREAT FINISH	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± 5° .X ± .1 SURFACES = 125°
SPEC	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
DRAWN BY: MACKOVJAK	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
CHECKED: DUERFELDT	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
OPPS APPR: ANDERSON	USED ON MODEL
QA APPR: LINDSAY	H175
APPROVED: GILBERT	
SCALE 1:6	DATE 4/22/2016
SHEET 1 OF 4	

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
				2	FRONT SHAFT PROTECTOR		RBEM651V3000121	1
				1	FRONT SHAFT PROTECTOR		RBEM651V3000125	1
		B/O	-1	1	FOAM, BOTTOM	ETHAFOAM 220, BLACK	17.09 X 11.49 X 4.27 (CASE SOLUTIONS)	2
		B/O	-3	1	FOAM, TOP	ETHAFOAM 220, BLACK	17.09 X 11.49 X 1.76 (CASE SOLUTIONS)	3
			-5	1	PLACARD	PLASTIC		4
		B/O	-7	1	CASE	PLASTIC	PELICAN #APP-1500-E	N/S
		B/O		1	DART PLACARD	ALUMINUM	RB41011	1

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
2	16-0216	-1 DELETED DIM'S 4X R.68, 2X ∇ 3.88, CH'D DIM WAS 2X ∇ 6.26 IS 2X ∇ 6.26 ∇ 3.88, CH'D MATERIAL & VENDOR WAS Y20 BLACK (I.R. SPECIALTY) IS ETHAFOAM 220, BLACK (CASE SOLUTIONS).	11/8/2016	RJC	JAG





(-1)
FOAM, BOTTOM


DART AEROSPACE	
TITLE FRONT SHAFT PROTECTOR KIT	
DWG NO. RBEM651V3000102-1	REV 2
MAT'L ETHAFOAM 220, BLACK	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
.XXX ± .010 FRACTIONS ± 1/8	
.XX ± .03 ANGLES ± 1°	
.X ± .1 SURFACES = 125/✓	
SPEC	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
DRAWN BY: MACKOVJAK	
CHECKED: DUERFELDT	
OPPS APPR: ANDERSON	
QA APPR: LINDSAY	
APPROVED: GILBERT	
USED ON MODEL H175	
SCALE 1:6	DATE 4/22/2016
SHEET 2 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
2	16-0216	-3 DELETED DIM 4X R.68, ADDED DIM'S 4X 45°, 4X .70, 3.20, 1.70, 2X .40, CH'D MATERIAL & VENDOR WAS Y20 BLACK (I.R. SPECIALTY) IS ETHAFOAM 220, BLACK [CASE SOLUTIONS].	11/8/2016	RJC	JAG



SECTION A-A






(-3)

FOAM, TOP

DART AEROSPACE	
TITLE FRONT SHAFT PROTECTOR KIT	
DWG NO. RBEM651V3000102-3	REV 2
MAT'L ETHAFOAM 220, BLACK	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
.XXX ± .010 FRACTIONS ± 1/8	
.XX ± .03 ANGLES ± 1°	
.X ± .1 SURFACES = 125°	
SPEC	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
DRAWN BY: MACKOVJAK	USED ON MODEL H175
CHECKED: DUERFELDT	
OPPS APPR: ANDERSON	
QA APPR: LINDSAY	
APPROVED: GILBERT	
SCALE 1:6	DATE 4/22/2016
SHEET 3 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
2	16-0216	-5 CH'D T/N TEXT HT. WAS .125 IS .188.	11/8/2016	RJC	JAG



(5)
PLACARD

DART AEROSPACE	
TITLE FRONT SHAFT PROTECTOR KIT	
DWG NO. RBEM651V3000102-5	REV 2
MAT'L PLASTIC	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
HEAT TREAT	.XXX ± .010 FRACTIONS ± 1/8
FINISH	.XX ± .03 ANGLES ± 1°
SPEC	.X ± .1 SURFACES = 125° ✓
DRAWN BY: MACKOVJAK	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
CHECKED: DUERFELDT	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
OPPS APPR: ANDERSON	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
QA APPR: LINDSAY	USED ON MODEL
APPROVED: GILBERT	H175
SCALE 1:2	DATE 4/22/2016
SHEET 4 OF 4	